

## PR7 Mini Quick Start Guide


Our New PR7 Mini Retail body-worn video (BWV) is the ideal fit for customer-facing staff. The miniature design is perfectly formed to fit uniforms or everyday casual wear. The lightweight unit houses an impressive power-packed feature list, including impressive memory storage.



### PR7 Mini FEATURE LIST

1. COMPACT SIZE: 63.5MM x 50.5MM x 26.1MM
2. ONLY 75g WEIGHT
3. 360 DEGREES ROTATABLE CROCODILE MOUNT OR STUD FOR KCLICKFAST MOUNT
4. 500+ HOURS STANDBY TIME
5. 8 HOURS RECORD TIME
6. 3 HOURS CHARGING TIME
7. 30 SECOND PRE-RECORD TIME
8. ULTRA LOW LIGHT PERFORMANCE
9. 32GB BUILT-IN MEMORY
10. 1080P VIDEO RESOLUTION
11. IP RATING OF IP65
12. 6 AXIS IMAGE STABILISER
13. PASSWORD-PROTECTED CAMERA MANAGEMENT SOFTWARE

## Getting Started



### Power On/Off

Press and hold the Red Record button for 3 seconds. The unit will give an audible chirp and the white LED indicator will illuminate, indicating that the camera is on standby. Camera will enter into standby mode. In standby mode, the white LED indicator stays ON. To power off, press and hold the Record button for 3 seconds, the unit will give 2 audible chirps and white LED indicator will turn off.

### Recording From Standby

Press the Red Record button to start recording. The unit will give one audible chirp and the green LED indicator will flash consistently, indicating that the camera is now recording. When the camera is recording, press the red record button to stop recording. The unit will give two audible chips and the green LED indicator will turn off, the white LED indicator will turn back on.

### Photo Taking

Photograph Feature In standby mode, press the Photo button to take photos. The unit will give one audible chirp and the white LED indicator will blink once.

### Pre-Record

When the camera is in standby mode, long press the camera button to switch to pre-record. The white LED indicator on top of the camera will change to solid green and the camera will pre-record for 30 seconds. To stop pre-recording, long press the camera button.

### Insufficient Storage

When free storage space is less than 5%, the green LED will change to red whilst still recording.


### PASSWORD-PROTECTED CAMERA MANAGEMENT SOFTWARE

Use the Pinnacle Response software on your PC, you will be able to check battery life and free space, change camera settings and enter into file explorer to view and manage files saved in camera.



## Charging

The camera can be charged via USB, single dock or a multi dock. The camera can charge through a USB plugged into a wall plug or plugged into a computer via the USB or single dock.



## Troubleshooting

If you are having problems with your camera, please first fully charge it and power it on, then press the reset button with the reset tool. Reset button is below the USB-C port. Pressing the reset button will force the camera to shut off. Press the power button to turn the device back on and your device should now be working properly. Resetting the device will not delete any files. If you have further issues please contact our support team on [support@pinnacleresponse.com](mailto:support@pinnacleresponse.com)



## PASSWORD PROTECTED CAMERA MANAGEMENT SOFTWARE

Installing the Pinnacle Response Camera Management Software allows for viewing and downloading saved photos and videos, changing device settings, syncing date and time and also protects your footage with password protection.

**Software Requirements:** Windows 7, 8, or 10 operating system Hard drive storage for archiving video (1TB recommended)

1. Open the Camera Manager Software on your computer. Connect camera to computer via USB cable. Your camera will power on and get connected to the computer.


2. There are 2 user types:

- A) General User: This mode allows for viewing and downloading media files only. The default password is: 000000.
- B) Administrator: This mode allows for changing device settings as well as viewing and downloading media files. The default password is: 888888

4. Password can be changed and reset for users by the Administrator account.

3. After login, the Camera Management Software will open on the Camera Info tab.

4. Click "Open File Explorer" to get access to camera SD card mass storage. Users are able to check, copy or delete files.



## PR7 Quick Start Guide





## Charging

Charge your device before first use.

The camera takes approximately 3 hours to reach full charge.

To charge, simply place your PR7 in the charging dock supplied.



Please use the wall plug and charging cable supplied with the PR7. Charging via a computer USB slot or using aftermarket charging cables will increase the charging time.

The LED display on the front of the dock indicates the battery level of the PR7.

The indicator LED on the top of the PR7 will also display **RED** when charging and will turn **BLUE** when fully charged with footage on the camera and **GREEN** when fully charged with no footage on the camera.

## Recording

To start recording with your PR7, slide down the Record Shutter Switch on the front of the camera marked “AUDIO VIDEO”. When recording has started the Indication LED 1 will flash **GREEN**. To cease recording, slide the shutter back up to the off position. If you have less than 15% storage capacity, then LED 1 will flash **RED**.

## LED Functions

LED	Topic	Colour	Illumination Type/Frequency	Function
LED 1 -Recording Status -Prerecord	Recording	Green	Flash - fast flash	To show that the camera is recording with sufficient resource.
	Recording	Red	Flash - fast flash	Recording with memory under 15% or battery under 15%, either condition record LED flash red
	Pre-record	Blue	Flash - Slow flash	To show that pre-record is on and should only be active when the camera is not recording
LED 2 -Charging -Standby	Charging	Red	Solid	While Charging and battery 99% or below
	Charging	Blue	Solid	Fully Charged, 100% and with video in storage
	Charging	Green	Solid	Fully Charged, 100% and empty storage
	Standby	Green	Solid	To show the camera is in standby on mode when not charging
	Tag Captured	Blue	Flash once when side button is pressed	To show tag was captured successfully.
LED3 Wi-Fi LED	WiFi connection	Blue	Fast flash once every 5 seconds	To show that the camera has activated its WiFi and looking for a SSID.
	WiFi connected	Blue	Fast flash once every second	To show that the camera is connected to an SSID.
	WiFi and Transferring	Blue	Solid	To show the camera is connected to an SSID and transferring its data.
General Condition	All LEDs	All LEDs	All LEDs	No LEDs must illuminate when the PR7 is in standby off mode
New feature LED 1&2 flash 'Wig Wag'	LED 1&2	LED 1 Flash Red LED 2 Flash Green	LED 1 Flash Red LED 2 Flash Green	Memory full

## Troubleshooting

To reset the camera please hold both buttons for 5 seconds. If this does not resolve the issue, please contact us at [support@pinnacleresponse.com](mailto:support@pinnacleresponse.com)

# SECTORS

SPORTING EVENTS  
DEBT COLLECTION  
MANUFACTURING  
CONSTRUCTION  
RECREATION  
TRANSPORT  
EDUCATION  
LOGISTICS  
COUNCILS  
SECURITY  
TOURISM  
MEDICAL  
LEISURE  
POLICE  
RETAIL



# PR7 MINI

**'COMPACT AND SIMPLE  
TO OPERATE - SECURE  
DEMS SOFTWARE'**

**PINNACLE**<sup>®</sup>  
RESPONSE.COM

BODY-WORN VIDEO CAMERAS SINCE 2007

CONTACT OUR SALES TEAM  
SALES@PINNACLERESPONSE.COM  
WWW.PINNACLERESPONSE.COM  
T: +44 (0) 2895 320222

# PRODUCT FEATURES

Our New PR7 Mini body-worn video (BWV) is supplied Plug and Play with secure Password-Protection Software, or fully encrypted DEMS compatible. A simple but formidable solution whatever the demands of the organisation.

The PR7 Mini sets a new standard for the wider Professional Security Sector in many industries across the world whilst retaining all the same simple user functionality of the PR6 camera.

## DEMS SOFTWARE

ID	Duration	User	Event Type	Start Time	End Time	Actions	
4550906	00:40	PR7-800307	Unassigned User	Pre record 30 sec Audio test	18/11/2022 10:36:00	18/11/2022 11:05:25	Evidence Pre-Record
4543380	00:14	PR7-802756	Unassigned User	Event Testing	01/04/2022 05:38:16	15/11/2022 15:15:39	Evidence
4510771	00:38	PR7-802514	Unassigned User	WIFI Upload test	02/12/2022 11:42:08	03/12/2022 11:56:38	Evidence
4505203	00:11	PR7-803923	Unassigned User	WIFI Upload test	01/11/2022 14:52:48	01/11/2022 15:05:56	Evidence
4505162	00:10	PR7-803923	Unassigned User	WIFI Upload test	01/11/2022 14:47:55	01/11/2022 14:57:29	Evidence
4505146	00:09	PR7-802596	Unassigned User	WIFI Upload test	03/12/2022 22:48:29	03/12/2022 14:46:47	Evidence
4505145	00:02	PR7-803922	Unassigned User	WIFI Upload test	04/10/2022 21:55:39	01/12/2022 14:46:43	Evidence
4401629	00:09	PR7-800336	Unassigned User	Stock Test-5076ebc4-b106-461c-80b8-2533ef8eac22	23/09/2022 11:00:03	23/09/2022 11:07:48	Evidence
4385667	00:41	PR7-800307	Unassigned User	Stock Test-5076ebc4-b106-461c-80b8-2533ef8eac22	16/09/2022 15:21:59	16/09/2022 15:25:27	Evidence Pre-Record
4382201	00:14	PR7-802176	Unassigned User	Stock Test-5076ebc4-b106-461c-80b8-2533ef8eac22	15/09/2022 09:39:50	15/09/2022 09:42:01	Evidence

## FULLY ENCRYPTED CAMERA WITH DEMS

- Ultimate package
- GDPR compliance
- DEMS management
- Redaction
- Secure file sharing
- AES 256 encryption
- No server required
- Access via any internet connected device

# PR7 MINI

## SPECIFICATION

CONTACT OUR SALES TEAM

[SALES@PINNACLERESPONSE.COM](mailto:SALES@PINNACLERESPONSE.COM)

[WWW.PINNACLERESPONSE.COM](http://WWW.PINNACLERESPONSE.COM)

T: +44 (0) 2895 320222

## SECTORS

SPORTING EVENTS

DEBT COLLECTION

MANUFACTURING

CONSTRUCTION

RECREATION

TRANSPORT

EDUCATION

LOGISTICS

COUNCILS

SECURITY

TOURISM

MEDICAL

LEISURE

POLICE

RETAIL



**PINNACLE**<sup>®</sup>  
RESPONSE.COM

BODY-WORN VIDEO CAMERAS SINCE 2007

# PR7 MINI FEATURES

## FEATURE

## SPECIFICATION

<b>SIZE</b>	<b>63.5MM*50.5MM*26.1MM</b>
<b>WEIGHT</b>	<b>75G</b>
<b>SHOCK PROOF</b>	<b>1M</b>
<b>IP RATING</b>	<b>IP65</b>
<b>CODING</b>	<b>H.264/H.265</b>
<b>VIEW ANGLE</b>	<b>120 DEGREES</b>
<b>VIDEO RESOLUTION</b>	<b>1080P30</b>
<b>VIDEO FORMAT</b>	<b>MP4</b>
<b>PICTURE FORMAT</b>	<b>JPEG</b>
<b>PICTURE RESOLUTION</b>	<b>UP TO 45MP</b>
<b>AUDIO FORMAT</b>	<b>AAC</b>
<b>SNAP SHOT</b>	<b>DURING RECORDING</b>
<b>EIS</b>	<b>6 AXIS IMAGE STABILISER (OPTIONAL)</b>
<b>NIGHT VISION</b>	<b>ULTRA LOW LIGHT PERFORMANCE</b>
<b>STORAGE</b>	<b>32GB</b>
<b>RECORDING TIME</b>	<b>720P30 UP TO 10 HOURS, 1080P30 UP TO 8</b>
<b>STANDBY TIME</b>	<b>100+ HOURS</b>
<b>CHARGING TIME</b>	<b>3 HOURS</b>
<b>POGO PIN CONNECTION</b>	<b>SUPPORT DOCK &amp; GO OPERATION</b>
<b>STANDARD MOUNT</b>	<b>360 DEGREES ROTATABLE CROCODILE MOUNT</b>
<b>OPTIONAL MOUNT</b>	<b>STUD FOR INSTALL CLICKFAST MOUNTS</b>
<b>CONTENT SUPPORTED</b>	<b>USER ID/DEVICE ID/DATE/TIME</b>
<b>ENCRYPTION OPTIONS</b>	<b>THREE VERSIONS, SEE BELOW</b>
<b>NIGHT VISION</b>	<b>ULTRA LOW LIGHT PERFORMANCE</b>
<b>STORAGE</b>	<b>32GB</b>
<b>UPLOADING OPTIONS</b>	<b>DESKTOP UPLOADER</b>

## **PLUG AND PLAY(P&P)**




- Simple to use
- Minimal IT skill
- Zero setup
- View footage via PC

## **PASSWORD PROTECTED (PPS)**

- Simple to use
- Minimal IT skills
- Password Protected Security
- GDPR compliance
- No internet required
- No server required
- View footage via PC

## **FULLY ENCRYPTED CAMERA WITH DEMS**

- Ultimate package
- GDPR compliance
- DEMS management
- Redaction
- File sharing
- AES 256 encryption
- No server required
- Access via any internet connected device



**"THE BEST  
JUST GOT  
BETTER"**



CONTACT OUR SALES TEAM  
SALES@PINNACLERESPONSE.COM  
WWW.PINNACLERESPONSE.COM  
T: +44 (0) 2895 320222

# SECTORS

PROFESSIONAL POLICING  
SPORTING EVENTS  
DEBT COLLECTION  
MANUFACTURING  
CONSTRUCTION  
RECREATION  
TRANSPORT  
EDUCATION  
LOGISTICS  
COUNCILS  
SECURITY  
TOURISM  
MEDICAL  
LEISURE



# PRODUCT FEATURES

Our New PR7 body-worn video (BWV) and integrated DEMS software offer a formidable solution whatever the demands of the organisation.

The PR7 sets new standards for the wider Professional Security Sector in many industries across the world whilst retaining all the same simple use functionality of the PR6 camera.



## FEATURE COMPARE

### FEATURE

**ONE-SWIPE RECORD ACTIVATION**

**RECORD CAPACITY**

**RECORD TIME (AT 1080P)**

**STANDBY**

**VIDEO RESOLUTION**

**VIDEO COMPRESSION**

**TAMPERPROOF, RUBBERISED DESIGN**

**WATER AND DUST RATING**

**DROP-TEST**

**SECURE AES ENCRYPTION**

**CODING**

**ULTRA-SPEED USB MULTI-UNIT UPLOAD**

**UPLOAD SPEED**

**WIDE DYNAMIC RANGE**

**ENHANCED LOW LIGHT CAPTURE**

**GPS**

**REMOTE CAM OPTION**

**WIDE ANGLE LENS**

**PRE-RECORD**

**APPROVED PATENTS**

**UPLOAD OPTIONS**

**BLUETOOTH**

**ONVIF PROTOCOL**

### PR6

YES

13.5 HRS

7 HRS

150 HRS

1080P30

H.264

YES

IP66

3M

AES 256

H264

NO

UP TO 48MB

YES

YES

NO

NO

130 DEG.

20 SEC

2

5

NO

NO

### PR7

YES

40 HRS

12 HRS

150 HRS

1080&1440P30

H.264 & H.265

YES

IP66

3M

AES 256

H264 & H265

YES

UP TO 70MB

YES

YES

YES

YES

140 DEG.

UP TO 120 SEC

3

6

YES

YES



# PINNACLE®


RESPONSE.COM

## PR7 OPTION GUIDE



### PLUG AND PLAY(P&P)

- Simple to use
- Minimal IT skill
- Zero setup
- View footage via PC





### PASSWORD PROTECTED(PPS)

- Simple to use
- Minimal IT skills
- Password Protected Security
- GDPR compliance
- No internet required
- No server required
- View footage via PC



### FULLY ENCRYPTED CAMERA WITH DEMS

- Ultimate package
- GDPR compliance
- DEMS management
- Redaction
- File sharing
- Wireless upload
- AES 256 encryption
- No server required
- Access via any internet connected device



Contact our Sales Team  
sales@pinnacresponse.com  
www.pinnacresponse.com  
T: +44 (0) 2895 320222

# PINNACLE®

RESPONSE.COM


# PR7 MINI OPTION GUIDE

MD-9




## PLUG AND PLAY(P&P)

- Simple to use
- Minimal IT skill
- Zero setup
- View footage via PC





## PASSWORD PROTECTED(PPS)

- Simple to use
- Minimal IT skills
- Password Protected Security
- GDPR compliance
- No internet required
- No server required
- View footage via PC



## FULLY ENCRYPTED CAMERA WITH DEMS

- Ultimate package
- GDPR compliance
- DEMS management
- Redaction
- File sharing
- AES 256 encryption
- No server required
- Access via any internet connected device



Contact our Sales Team  
[sales@pinnacledresponse.com](mailto:sales@pinnacledresponse.com)  
[www.pinnacledresponse.com](http://www.pinnacledresponse.com)  
 T: +44 (0) 2895 320222

# PR7 REMOTE CAMERA

## SECTORS

PROFESSIONAL POLICING  
SPORTING EVENTS  
DEBT COLLECTION  
MANUFACTURING  
CONSTRUCTION  
RECREATION  
TRANSPORT  
EDUCATION  
LOGISTICS  
COUNCILS  
SECURITY  
TOURISM  
MEDICAL  
LEISURE

**PINNACLE**<sup>®</sup>  
RESPONSE.COM

BODY-WORN VIDEO CAMERAS SINCE 2007

CONTACT OUR SALES TEAM  
SALES@PINNACLERESPONSE.COM  
WWW.PINNACLERESPONSE.COM  
T: +44 (0) 2895 320222

# PR7 FEATURES

## FEATURE

ONE-SWIPE RECORD ACTIVATION

RECORD CAPACITY

RECORD TIME (AT 1080P)

STANDBY

VIDEO RESOLUTION

VIDEO COMPRESSION

TAMPERPROOF, RUBBERISED DESIGN

WATER AND DUST RATING

DROP-TEST

SECURE AES ENCRYPTION

CODING

ULTRA-SPEED USB MULTI-UNIT UPLOAD

UPLOAD SPEED

WIDE DYNAMIC RANGE

ENHANCED LOW LIGHT CAPTURE

GPS

REMOTE CAM OPTION

WIDE-ANGLE LENS

PRE-RECORD

APPROVED PATENTS

UPLOAD OPTIONS

BLUETOOTH

ONVIF PROTOCOL

## PR7

YES

22 HRS

12 HRS

150 HRS

1080&1440P30

H.264 & H.265

YES

IP66

3M

AES 256

H264 & H265

YES

UP TO 70MB

YES

YES

YES

YES

140 DEG.

UP TO 120 SEC

3

6

YES

YES

## PLUG AND PLAY(P&P)

- Simple to use
- Minimal IT skill
- Zero setup
- View footage via PC

## PASSWORD PROTECTED (PPS)

- Simple to use
- Minimal IT skills
- Password Protected Security
- GDPR compliance
- No internet required
- No server required
- View footage via PC

## FULLY ENCRYPTED CAMERA WITH DEMS

- Ultimate package
- GDPR compliance
- DEMS management
- Redaction
- File sharing
- AES 256 encryption
- No server required
- Access via any internet connected device

